

Why do babies cry?



Why do babies cry? In short, infants cry to communicate. Remember, babies cannot talk. They can't even smile back at you until around six weeks of age.

Dr. Kardos recently welcomed her first grandbaby into the world, so we revisit our baby posts with a fresh eye. Here is the first of many!

The long and short of it is that babies cry when they...

- Are tired.
- Are hungry.
- Feel too cold.
- Feel too hot.
- Need to be changed –Dr. Kardos never really believed this reason before she had her twins. Her firstborn

couldn't have cared less if he was wet and could nap right through a really poopy diaper. Then she had her twins. She was amazed that their crying stopped if she changed the tiniest bit of poop or a wet diaper. Go figure. As Dr. Lai says, "different kids are different."

- Are bored. Try swapping out the white noise and cue up some hip-hop or K-pop instead. Maybe they want a car ride. Another option: try moving them to another room in the house for a simple change of scenery.
- Feel pain. Look for a piece of hair wrapped around a finger or toe. Make sure they are not out-growing the elastic wrist or ankle band on their clothing. Dr. Lai's second born is a young adult but there is still a faint mark on her ankle from tight elastic that only a mom would notice.
- If the crying is worse in a well-lit room, their eye appears red and irritated, or there are scratch marks next to their eye, your baby may have scratched their eye (corneal abrasion). Call your pediatrician if you suspect this.
- Need to be swaddled. Remember a fetus spends the last trimester squished inside of their mom. Discovering their own randomly flailing arms and legs can be disconcerting to a newborn.
- Need to be UN-swaddled. Hey, some like the freedom to flail.
- Need to be rocked/moved. Dr. Lai's firstborn spent hours tightly wrapped. Her dad held her in a nearly upside down position nicknamed "upside-down-hotdog." Every evening he paced with her all around the living room.
- Need to burp. Lay your crying baby down for a minute. Bring them up again to see if you can elicit a burp.
- Are gassy. Bicycle their legs while on their back. Position them over your shoulder so that their belly presses against you. You'd be gassy too if you couldn't move very well. The gassy baby is a topic for this entire post— talk to your doctor for other ideas.

- Are sick. Watch for fever, inability to feed normally, labored breathing, diarrhea or vomiting. Check and see if anything is swollen or not moving. Listen to the cry. Is it weak and whimper-like (sick) or is it loud and strong (not so sick)? Do not hesitate to check with your pediatrician. Fever in a baby younger than eight weeks old is considered 100.4 degrees F or higher measured rectally. A feverish newborn needs immediate medical attention.

What if you're certain that the temperature in the room is moderate, you recently changed the diaper, and your baby last ate less than an hour ago?

- **Walk outside with your baby**— this can be a magic “crying be gone” trick. Fresh air seems to improve a newborn’s mood.
- **Offer a pacifier.** Try many different shapes of pacifiers. Marinate a pacifier in breast milk or formula to increase the chance your baby will accept it.
- **Pick them up,** dance, or walk around the house with them. You can’t spoil a newborn.
- **Vacuum your house.** Weird, but it can work like a charm. Place your baby in a baby frontal backpack or in a sling while cleaning.
- **Try another feeding,** maybe they’re having a growth spurt.
- When all else fails, **try putting them down** in the crib in a darkened room. Crying can result from overstimulation. Wait a minute or two. They may self-settle and go to sleep. If not, pick them up again. The act of rescuing may stop the wailing.
- If mommy or daddy is crying at this point, **call your own**

mom or dad or call a close friend. Your baby knows your voice and hearing you speak calmly to another adult could lull your baby into contentment.

- **Call your child's pediatrician** and review signs of illness.

If you feel anger and resentment toward your crying baby, just put them down in a safe place such as their crib, walk outside, and count to ten. It is impossible to think rationally when you are angry, and you may hurt your child in order to stop your frustration. Seek counseling if these feelings continue.

Now for the light at the end of the newborn parenting tunnel: the peak age when babies cry is six weeks old. At that point, infants can cry for up to THREE HOURS per day. Some fussy babies cry MORE than three hours per day. (Can you believe people actually studied this? Dr. Kardos always found it amusing that Dr. Lai won a prize in medical school for a paper on the history of colic/crying babies). By three months of age, babies cry less often.

While most crying babies are healthy babies and just need to find their perfect upside-down-hot-dog position, an inability to soothe your baby can be a sign of illness. Never hesitate to call your baby's doctor if your baby is inconsolable, and don't listen to the people who say, "Why do babies cry?...They just do."

Julie Kardos, MD and Naline Lai, MD

©2025 Two Peds in a Pod®

My child has a fever: what to do



Photo by Victoria Borodinova. Pixabay

Wondering what to do when your child has a fever? With schools and daycares now back in full swing, many more illnesses are circulating. Please read our fever advice in the Children's Hospital of Philadelphia Health Tip with updates on what to do when your child has a fever.

Be well, wash your hands, and wear your masks!

Julie Kardos, MD and Naline Lai, MD

©2021 Two Peds in a Pod®